## PCT

# SCI WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) In ational Patent Classification 5: A01N 25/08, 25/14, 25/34 A61K 9/20, 9/16	A1	(11) International Publication Number: (43) International Publication Date: 14	WO 93/19596 October 1993 (14.10.93)
(21) International Application Number: PCT/GB (22) International Filing Date: 26 March 1993		pean patent (AT, BE, CH, DE,	IP, KR, RU, US, Euro DK, ES, FR, GB, GR
(30) Priority data: 9206821.2 28 March 1992 (28.03.92	) (	Published  With international search report.	
<ul> <li>(71) Applicant (for all designated States except US): It (UK) LIMITED [GB/GB]; Rownhams Road Baddesley, Southampton SO5 9ZB (GB).</li> <li>(72) Inventor; and</li> <li>(75) Inventor/Applicant (for US only): DODD, Stephel [GB/GB]; 2 Camrau, Cefn, Nr St Asaph, Cloud OHG (GB).</li> </ul>	nd, No n, Fran	cis	
(74) Agent: WILKINSON, Stephen, John; Stevens, Perkins, 1 St Augustine's Place, Bristol BS1 41	Hewlet UD (G	& 3).	

(54) Title: DISPERSIBLE PRODUCTS

#### (57) Abstract

A water-dispersible product, such as a tablet or briquette, comprises at least one active material and a binder wherein the binder includes one or more polyphosphate chains, borate ions or silicate ions. The polyphosphate chains, borate ions and silicate ions are respectively derived from a water-soluble phosphate glass, a water-soluble borate glass and a water-soluble silicate glass. The active material may be a pharmacologically-active substance, a pesticide or a herbicide.

## FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

	•	FR	France	MR	Mauritania
AT	Austria	GA	Gabon	MW	Malawi
AU	Australia		United Kingdom	NL	Netherlands
88	Barbados	GB	-	NO	Norway
BE	Belgium	GN	Guinca	_	New Zealand
8F	Burkina Faso	GR	Greece	NZ	
BG	Bulgaria	HU	Hungary	PL	Poland
BJ	Benin	1E	Ireland	PT	Portugal
		ΙT	Italy	RO	Komania _
BR	Brazil	JР	Japan	RU	Russian Federation
ÇA	Canada	-	Democratic People's Republic	SD	Sudan
CF	Central African Republic	KP		SE	Sweden
CG	Congo		of Korea	_	Slovak Republic
CH	Switzerland	KR	Republic of Korea	SK	· ·
CI	Côte d'Ivoire	K2	Kazakhstan	SN	Schegal
CM	Cameroon	1.1	Liechtenstein	SU	Soviet Union
-		LK	Sri Lanka	TD	Chad
cs	Czechoslovakia	1.0	Luxembourg	TG	Tago
CZ	Czech Republic		•	UA	Ukraine
DE	Germany	MC	Monaco	US	United States of America
DK	Denmark	MC	Madagascar	VN	Viet Nam
ES	Spain	Mi	Mali	VN	AICI Islam
FI	Finland	MN	Mongolia		

### DISPERSIBLE PRODUCTS

This invention relates to products which are dispersed by an aqueous medium. More particularly it relates to products which have a component that dissolves in an aqueous medium, the remaining product being dispersed by the aqueous medium. Furthermore it relates to a product in which the dissolving of the component and the dispersal of the remaining product is effected in a controlled manner in an aqueous medium.

In some industries an active material is released into an environment in order to effect a controlled reaction in the environment. The active material is commonly stored as a solid or as solution, and usually has to be part of an aqueous medium to be released.

In the agricultural industry crops of cultivated plants are protected by the use of pesticides and/or insecticides. Hereinafter the term "pesticide" includes insecticides and other such materials. Pesticides are usually stored in liquid form and sprayed directly onto the crop to destroy insects and/or other organisms which are harmful to the crop. The pesticide may be s ld as a c ncentrated liquid which needs to be diluted prior to spraying of the crop.

Some pesticides seriously contaminate the material of the container in which they are held and this can lead to problems in the disposal of these containers. In some cases, the contamination is so bad that the containers are returned to the pesticidal manufacturer who will arrange for proper disposal of the contaminated containers. This is significantly costly to the manufacturer and consequently there is a need to reduce or substantially eliminate the of contamination of the packaging of pesticides.

In the pharmaceutical industry many drugs are administered by mixing a solid (i.e. a tablet) which contains an active material with an aqueous medium (i.e. water) which is then swallowed by the patient. Some tablets dissolve or break up to form a suspension in the water, and others are swallowed whole with the water being used as an aid to swallowing the tablet.

It will be appreciated that is necessary to carefully control the dissolution rate or break-up rate of tablets which contain drugs depending on which drug is to be administered. Some tablets take a considerable time to fully dissolve or break up which is inconvenient and extends the discomfort felt by the patient. Consequently there is a need to control the dissolution rate or break-up rate of some pharmaceutical tablets.

According to the present invention there is provided a

WO 93/19596 PCT/GB93/00629

product which disperses in a controlled manner in an aqueous medium, said product comprising at least an active material and a binder, the binder including one or more of polyphosphate chains, borate ions, or silicate ions.

Preferably the polyphosphate chains, or borate ions or silicate ions have been respectively derived from at least one water soluble phosphate and/or borate and/or silicate glass.

In one embodiment of the present invention the binder is mixed with the active material in the form of an aqueous solution of the at least one water soluble glass. In a further embodiment of the present invention particulate binder is mixed with the active material in the form of particles of the at least one water soluble glass and the polyphosphate chains and/or borate ions and/or silicate ions have been formed by mixing water with the mixture of active material and glass particles. The glass particles may be wholly or partially dissolved into the water thereby to form the polyphosphate chains and/or borate ions and/or silicate ions.

In a further embodiment of the invention the binder comprises crystalline phosphate.

Without wishing to be bound by theory it is believed that the polyphosphate chains are formed following the dissolution of the respective water soluble glasses into

aqueous solution. These chains form an interlinking matrix throughout the product which is enhanced by hydrogen bonding of the chains by the chemically bonded water molecules therein. After removal of excess water the resulting dried product retains the polyphosphate matrix which firmly binds together the active material.

Preferably the binder comprises at least 0.25% by weight and the active material comprises up to 99.75% by weight of the total weight of the product. More preferably the binder comprises from 0.5 to 50% by weight and the active material comprises from 99.5 to 50% by weight of the total weight of the product.

As described hereinabove, it is believed that the polyphosphate chains and/or borate ions or silicate ions form an interlinking matrix which may additionally include hydrogen bonding by chemically bonded water molecules. Generally, full removal of chemically bound water is undesirable as this would destroy the hydrogen bonding and thus weaken the structure.

Preferably, the water soluble phosphate glass comprises from 30 to 80 mol%  $P_2O_5$ . from 20 to 70 mol%  $R_2O$ , from 0 to 30 mol% MO and from 0 to 15 mol%  $L_2O_3$ , where R is Na. K or Li. M is Ca. Mg or Zn and L is Al. Fe or B. More preferably, the water soluble phosphate glass comprises from 58 to 72 wt%  $P_2O_5$ . from 42 to 28 wt%  $Na_2O$  and from 0 to 16 wt% CaO.

Such glasses include glasses of the following compositions in weight %:

	1	2	3	. 4	5	6
P <sub>2</sub> 0 <sub>5</sub>	70.2	67.4	64.6	61.8	59.0	60.5
Na <sub>2</sub> 0	29.8	28.6	27.4	26.2	25.0	39.5
CaO	-	4	8	12	16	0

As soluble glass, it is preferred to use a glass which has a solution or solubility rate of 0.1-1000 mg/cm²/hr at 25°C. The glass preferably has a saturation solubility at 25°C of at least 200 g/l, more preferably 800 g/l or greater, for phosphate glasses, and of at least 50 g/l for borate glasses.

The commonly available phosphate glasses are those from the binary system  ${\rm Na_20:P_20_5}$ . The selection of glasses containing  ${\rm K_20}$  or mixed alkali metal oxides can be made on the same basis but glasses containing  ${\rm K_20}$  and/or mixtures of alkali metal oxides are less likely to be satisfactory as they are more prone to devitrification, and are also likely to be more costly.

A preferred glass is a phosphate glass from the binary system  ${\rm Na_20:P_20_5}$ , with a molar ratio in the vicinity of  $5{\rm Na_20}$  to  $3{\rm P_20_5}$ . Although such glasses can vary slightly in composition, we have satisfactorily used a glass containing  ${\rm P_20_5}$  60.5 weight %.  ${\rm Na_20}$  39.5 weight %.

Such a glass has phosphate chains with an average value of n = 4.11, where n is the number of phosphate groups in the

chain. We have carried out a variety of studies in order to assess the suitability of various water-soluble sodium polyphosphate glasses for use as binders. The following table shows compositions of some of the glasses tested:

Glass Sample	Wt % P <sub>2</sub> 0 <sub>5</sub>	Wt % Na <sub>2</sub> 0	Water
Number			
1	69.0	30.5	Balance
2	67.0	32.5	Balance
3	65.0	34.5	Balance
4	63.0	36.5	Balance
5	60.5	39.0	Balance
6	58.0	41.5	Balance

We have noted that as the Na<sub>2</sub>O content of the sodium polyphosphate glasses increases, the phosphate chain length generally becomes shorter and this in turn tends to increase the tensile strength of the product formed with the phosphate binder. We believe, without being bound by theory, that shorter phosphate chains may be better able to utilise hydrogen bonding and that the more chain end phosphate groups present may give stronger hydrogen bonding. We have also found with sodium polyphosphate glasses that as Na<sub>2</sub>O content increases the dispersibility of a product employing such glasses as a binder tends to increase. We believe that

this may indicate that the ability of partially hydrated glass to fully hydrate and dissolve into solution is affected by small changes in composition.

In addition, we have found that as the Na<sub>2</sub>O content increases, the viscosity of the solution of the sodium polyphosphate glass in water also tends to increase. We believe that this tendency for an increase of viscosity may possibly indicate the tendency to have hydrogen bonding in aqueous solution. This in turn may possibly indicate that viscosity may indicate the suitability of a given sodium polyphosphate glass to be effective as a binder to give good solubility and tensile strength.

As specified hereinbefore, the glass must have a sufficiently high saturation solubility and solubility rate to enable it quickly and sufficiently to go into aqueous solution. We have found that all the glasses specified in the above Table have sufficient solubility rates and saturation solubility values.

Overall, it will be seen that there are a variety of factors which affect the choice and suitability of a binder. For any given application, the choice of a binder can be empirically determined by a trial and error technique.

Embodiments of the present invention will now be described.

In one embodiment of the invention the active material

of a pesticide in dry powder form is mixed with an appropriate surfactant, a wetting agent and a dispersant. The mixture is then combined with 6% of a 50% by weight aqueous solution of a soluble glass of composition 70.2% by weight P<sub>2</sub>0<sub>5</sub>, 29.8% by weight Na<sub>2</sub>0. This new mixture is pressed to form a briquette which is dried to remove excess water.

The drying operation is carried out by the use of either temperature or a vacuum depending on the heat stability of the active material.

The briquette so formed is relatively easy to transport and reduces the amount of contamination of its packaging by the active material.

The briquette will disperse almost immediately when placed in water, and the active material released forms a sprayable suspension which can be used directly on crops to destroy harmful insects and organisms.

In another embodiment of the invention the active material is of a pharmaceutical nature and in powder form.

To this powder is added a 50% solution of phosphate glass in water at addition levels of 5, 10, 15, 20 and 25%. The powder/binder mixture is then wet massed. The mixture is then granulated by a conventional technique such as extrusion or wet granulation.

The granules can be pressed to form a tablet and

depending on the glass composition the tablet will disperse almost immediately or over a period of time as desired. A fast dispersing tablet is made using a simple alkali phosphate glass as the binder and a slowly dispersing tablet is made using an alkali phosphate glass with added modifier ions such as calcium, magnesium or aluminium oxides. For example granules formed as aforedescribed were partially dried before pressing. Tabletting was carried out with conventional equipment at conventional settings. The tablets were then dried to remove excess water before the tablets

Tablets formed from the above process dissolve almost instantaneously as does the granulae used to make them.

Particularly good results were obtained at 15 and 20% addition levels to give strong tablets with fast dissolution rates.

A fast dispersing tablet can be used where a patient wishes to take a tablet without water. The tablet can be placed in the patient's tongue and will disperse rapidly in the normal saliva. Sweeteners or flavourings can be used as required.

A slow dispersing tablet can be used in applications where it is desirable for the active material to be dispersed over a relatively long period of time. For example the tablet may be in the form of a bolus which is then inserted

into the rumen or stomach of an animal. The bolus will disperse over a period of time and thus the active material is dispersed over a period of time.

It is not intended that the invention is limited to agricultural and medical applications. The principles of the invention may be used where it is desired to controllably release an active material where the active material is combined with a binder and the mixture can then be solidified. Examples of active materials suitable for use in the waterdispersible product of the invention include, in addition to pharmacologically-active substances and pesticides, herbicides and soil treatment agents, such as fertilizers, mineral supplements and soil pH adjustment agents. The water-dispersible products of the present invention may be prepared by the skilled person to have a predetermined dosage and/or application rate for the active material using common general knowledge in the art.

## **CLAIMS**

- A water-dispersible product comprising at least one active material and a binder, wherein the binder includes one or more of polyphosphate chains, borate ions or silicate ions.
- A product according to claim 1, wherein the active material is selected from pharmacologically-active materials, pesticides and herbicides.
- A product according to either claim 1 or claim 2, wherein the binder includes one or more of polyphosphate chains, borate ions or silicate ions which have been respectively derived from at least one water soluble phosphate and/or borate and/or silicate glass.
- A product according to claim 3, wherein the water soluble phosphate glass comprises from 30 to 80 mol%  $P_2O_5$ , from 20 to 70 mol%  $R_2O$ , from 0 to 30 mol% MO and from 0 to 15 mol%  $L_2O_3$  where R is Na, K or Li, M is Ca, Mg or Zn and L is Al, Fe or B.
- A product according to claim 4, wherein the water soluble phosphate glass comprises from 58 to 72 wt%  $P_2O_5$ , from 42 to 28 wt%  $Na_2O$  and from 0 to 16 wt% CaO.
- A product according to any one of claims 1 to 5 in the form of a tablet or a briquette.
- A method of making the water-dispersible product of claim 1 comprising mixing at least one active material with the binder in the form of an aqueous solution of a water soluble glass and then removing excess water.
- A method of making the water-dispersible product of claim 1 comprising mixing at least one active material with particles of a water soluble glass, adding water to the mixture, allowing the water soluble glass to dissolve in the water and then

removing excess water.

- 9 A method according to either claim 7 or claim 8, wherein the active material is selected from pharmacologically-active materials, pesticides and herbicides.
- A method according to any one of claims 7 to 9, wherein the binder is derived from a water soluble phosphate glass comprising from 30 to 80 mol%  $P_2O_5$ , from 20 to 70 mol%  $R_2O$ , from 0 to 30 mol% MO and from 0 to 15 mol%  $L_2O_3$  where R is Na, K or Li, M is Ca, Mg or Zn and L is Al, Fe or B.
- 11 A method according to claim 10, wherein the water soluble phosphate glass comprises from 58 to 72 wt%  $P_2O_5$ , from 42 to 28 wt%  $Na_2O$  and from 0 to 16 wt% CaO.
- 12 A method according to claim 7, wherein a pesticide in the form of dry powder is mixed with from 6 to 50% by weight of an aqueous solution of a soluble phosphate glass comprising 70.2% by weight  $P_2O_5$  and 29.8% by weight  $Na_2O$ , the mixture is then pressed to form a briquette which is then dried to remove excess water.
- 13 A method according to claim 12, wherein at least one of a surfactant, a wetting agent or a dispersant is also mixed with the pesticide and water soluble glass solution.
- A method according to claim 7, wherein a pharmacologically-active substance in dry powder form is mixed with a solution of a soluble phosphate glass and the mixture is then granulated and dried.

PCT/GB 93/00629

1 0 100			Interactional Application No	101/48 33/00823
I. CLASS	LICATION OF SULL	JECT MATTER (if saveral dissifican	ion symbols apply, indicate ati) <sup>6</sup>	
Int.C1	. 5 A01N25/0 A61K9/16		nal Classification and IPC A01N25/34;	A61K9/20
OL FIELDS	S SEARCHED	,		
	3 SECTED	Mistana Da		
Classificat	tion System	JAMES DO	Considerate Service	<del></del>
			Classification Symbols	
Int.C1	. 5 	A01N; A61K;	C03C	
		Documentation Searched of to the Extent that such Docume	her than Minimum Documentation ats are included in the Fields Searched <sup>8</sup>	
			TO CA CATALON OF CALADO 2017 CINA	
		D TO BE RELEVANT		
Category °	Citation of Do	cussent, il with indication, where appro	prizze, of the relevant passages 12	Referent to Claim No.13
x	WO.A.9 n	008 470 (GILTECH LIMI	TEN\	
	9 August	: 1990	•	1-6
	see page	e 6, line 18 - page 6, e 7, line 33 - page 9,	, line 30	
	see page see tabl	:/, line 33 - page 9,	, line 11	
1		25, line 23 - page 2	25. line 30:	
	claims	- F-3-	, , , , , , , , , , , , , , , , , , , ,	
(	GB.A.2 0	81 703 (STANDARD TELE	DUONES AND	
	CABLES L	IMITED)	EPHONES AND	1-4
	24 Febru			
	see page claims	1, line 52 - page 1,	line 107;	
ŀ	0,2,2,2			
			-/	
		,		
	•			
			•	
° Special o	stegories of cited docum	Delts: 10	"I" later document published after the inte	matingsi filipa data
"A" docum	neat defining the gener level to be of particula	al state of the art which is not	or priority date and not in conflict with cited to understand the principle or the	h the application but
	r document but publish	ed on or after the interactional	invention "X" document of particular relevance; the o	
"L" docum	est which may throw d	loubts on priority claim(s) or	Cannot be considered novel or cannot i	ne considered to
CLOREGO	g of other shecist tests	e publication date of another on (as specified)	"Y" document of particular relevance; the considered to involve an inve	daimed invention
VIIII I		disclosure, use, exhibition or	document is combined with one or mor ments, such combination being obvious	a other sich dess.
P focus	ent published prior to t han the priority date of	the international filing date but laimed	in the art. "A" document member of the same patent !	
CERTIFIC		·		<del></del> 7
	uni Completion of the	International Search	Date of Mailing of this International Sc	mark Person
	05 JUL			med aspen
			2 7. 07. 93	·
STREETINGS SO	mrching Authority		Signature of Authorized Officer	
	EUR PEAN	PATENT OFFICE	DONOVAN T.M.	

NTS CONSIDERED TO BE RELEVANT (CONTINUED FROM THE SECOND SHEET)	
Citation of Document, with indication, where appropriate, of the relevant passages	Relevant to Claim No.
GB,A,1 512 637 (STANDARD TELEPHONES AND CABLES LIMITED) 1 June 1978 see page 1, line 4 - page 1, line 42 see table, page 3 see claims	1-3
CH,A,639 635 (ITT INDUSTRIES, INC.) 30 November 1983 see page 2, column 1, line 55 - page 2, column 2, line 55 see table, page 4 see claims	1-3
CHEMICAL PATENTS INDEX, DOCUMENTATION ABSTRACTS JOURNAL Section Ch, Week 9121, Derwent Publications Ltd., London, GB; Class C, AN 153080 & JP,A,03 088 740 (ISHIZUKA GLASS KK) 15 April 1991 see abstract	1-4
CHEMICAL PATENTS INDEX, BASIC ABSTRACTS JOURNAL Section Ch, Week 8743, Derwent Publications Ltd., London, GB; Class C, AN 304295 & JP,A,62 215 508 (NANIWA KK) 22 September 1987 see abstract	1-3
CHEMICAL PATENTS INDEX, DOCUMENTATION ABSTRACTS JOURNAL Section Ch, Week 9006, Derwent Publications Ltd., London, GB; Class C, AN 040547 & JP,A,01 317 133 (MITSUBISHI RAYON EN) 15 June 1988 see abstract	1-3
PESTICIDE SCIENCE vol. 9, no. 5, October 1978, BARKING GB page 441 C.F.DRAKE 'The Application of Pesticides in Controlled Release Glasses'	
	GB,A,1 512 637 (STANDARD TELEPHONES AND CABLES LIMITED)  1 June 1978 see page 1, line 4 - page 1, line 42 see table, page 3 see claims  CH,A,639 635 (ITT INDUSTRIES, INC.) 30 November 1983 see page 2, column 1, line 55 - page 2, column 2, line 55 see table, page 4 see claims  CHEMICAL PATENTS INDEX, DOCUMENTATION ABSTRACTS JOURNAL Section Ch, Week 9121, Derwent Publications Ltd., London, GB; Class C, AN 153080 & JP,A,03 088 740 (ISHIZUKA GLASS KK) 15 April 1991 see abstract  CHEMICAL PATENTS INDEX, BASIC ABSTRACTS JOURNAL Section Ch, Week 8743, Derwent Publications Ltd., London, GB; Class C, AN 304295 & JP,A,62 215 508 (NANIWA KK) 22 September 1987 see abstract  CHEMICAL PATENTS INDEX, DOCUMENTATION ABSTRACTS JOURNAL Section Ch, Week 9006, Derwent Publications Ltd., London, GB; Class C, AN 040547 & JP,A,01 317 133 (MITSUBISHI RAYON EN) 15 June 1988 see abstract  PESTICIDE SCIENCE vol. 9, no. 5, October 1978, BARKING GB page 441 C.F.DRAKE 'The Application of Pesticides

# ANNEX TO THE INTERNATIONAL SEARCH REPORT ON INTERNATIONAL PATENT APPLICATION NO.

9300629 GB SA 72067

This among lists the patent family members relating to the patent documents cited in the above-mentioned international search report. The members are as contained in the European Patent Office EDP file on

The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

05/0

05/07/93

Patent document cited in search report WO-A-9008470	Publication date	Putest family member(s)		Publication date	
	09-08-90	EP-A- JP-T-	0455706 4503018	13-11-91 04-06-92	
GB-A-2081703	24-02-82	None			
GB-A-1512637	01-06-78	None			
CH-A-639635	30-11-83	None		·	

FORM POCT